Epidemiol. Infect. (1999), **122**, 563–568 Printed in the United Kingdom © 1999 Cambridge University Press

Index of Authors

Ades, A. E. *see* **Duong, T.**
Adler, G. *see* **Brenner, H.**
Ahmed, K. *see* **Martinez, G.**
Akiba, M., Masuda, T., Sameshima, T., Katsuda, K. and Nakazawa, M. Molecular typing of *Escherichia coli* O157:H7 (H—) isolates from cattle in Japan, 337
Akiba, M., Sameshima, T. and Nakazawa, M. The shift of genetic subtypes of *Escherichia coli* O157:H7 isolates from cattle, 343
Allen-Vercoe, E., Sayers and Woodward, M. J. Virulence of *Salmonella enterica* serotype Enteritidis aflagellate and afimbriate mutants in a day-old chick model, 395
Allsopp, B. A. *see* **Allsopp, M. T. E. P.**
Allsopp, M. T. E. P., Hattingh, C. M., Vogel, S. W. and Allsopp, B. A. Evaluation of 16S, *map*1 and pCS20 probes for detection of *Cowdria* and *Ehrlichia* species, 323
Altekruse, S. F. *see* **McNeil, M. M.**
Andersson, Y. *see* **McCarthy, N.**
Angulo, F. J. *see* **Hedberg, C. W.**
Aparicio, J. *see* **Quick, R. E.**
Aramini, J. J., Stephen, C., Dubey, J. P., Engelstoft, C., Schwantje, H. and Ribble, C. S. Potential contamination of drinking water with *Toxoplasma gondii* oocysts, 305
Ashburn, D. *see* **Chapman, D. J.**
Ashkenazi, I. *see* **Block, C.**
Ashkenazi, S. *see* **Block, C.**
Asmah, I. *see* **Rohani, M. Y.**
Atabay, H. Ibrahim *see* **On, S. L. W.**
Avsic-Zupanc, T. *see* **Heyman, P.**

Baggesen, D. L. *see* **Brown, D. J.**
Balogun, M. A., Ramsay, M. E., Fairley, C. K., Collins, M. and Heptonstall, J. Acute hepatitis B infection in England and Wales: 1985–96, 125
Bamford, K. B. *see* **O'Neill, C.**
Banatvala, N., Cramp, A., Jones, I. R. and Feldman, R. A. Salmonellosis in North Thames (East), UK: associated risk factors, 201
Banuro, F. *see* **Niclaes, L.**
Barros, H. *see* **Gonçalves, G.**
Baxby, D. *see* **Chantrey, J.**
Bedson, H. S. *see* **Dumbell, K. R.**
Begon, M. *see* **Chantrey, J.**
Bennett, M. *see* **Chantrey, J.**
Besser, J. M. *see* **Hedberg, C. W.**
Besser, T. E. *see* **Rice, D. H.**
Black, W. D. *see* **Dunlop, R. H.**
Blake, P. A. *see* **McNeil, M. M.**
Block, C., Gdalevich, M., Buber, R., Ashkenazi, I., Ashkenazi, S. and Keller, N. Factors associated with pharyngeal carriage of *Neisseria meingitidis* among Israel Defense Force personnel at the end of their compulsory service, 51
Bode, G. *see* **Brenner, H.**
Bodhidatta, L. *see* **Dalsgaard, A.**
Bolton, F. J., Surman, S. B., Martin, K., Wareing, D. R. A. and Humphrey, T. J. Presence of campylobacter and salmonella in sand from bathing beaches, 7
Bopp, C. *see* **Quick, R. E.**
Bown, K. J. *see* **Chantrey, J.**
Brenner, H., Rothenbacher, D., Bode, G., Dieudonné, P. and Adler, G. Active infection with *Helicobacter pylori* in healthy couples, 91
Brown, D. J., Baggesen, D. L., Platt, D. J. and Olsen, J. E. Phage type conversion in *Salmonella enterica* serotype Enteritidis caused by the introduction of a resistance plasmid of incompatibility group X (IncX), 19
Brugha, R., Vipond, I. B., Evans, M. R., Sandifer, Q. D., Roberts, R. J., Salmon, R. L., Caul, E. O. and Mukerjee, A. K. A community outbreak of food-borne small round-structured virus gastroenteritis caused by a contaminated water supply, 145
Buber, R. *see* **Block, C.**
Buchan, A. *see* **Dumbell, K. R.**
Buntinx, F. *see* **Niclaes, L.**

Cane, F. *see* **Mahon, B. E.**
Cane, P. A., Weber, M., Sanneh, M., Dackour, R., Pringle, C. R. and Whittle, H. Molecular epidemiology of respiratory syncytial virus in The Gambia, 155
Caputo, C., Forbes, A., Frost, F., Sinclair, M. I., Kunde, T. R., Hoy, J. F. and Fairley, C. K. Determinants of antibodies to *Cryptosporidium* infection among gay and bisexual men with HIV infection, 291
Carapetis, J. R., Walker, A. M., Hibble, M., Sriprakash, K. S. and Currie, B. J. Clinical and epidemiological features of group A streptococcal bacteraemia in a region with hyperendemic superficial streptococcal infection, 59
Carter, P. E. *see* **Harrington, C. S.**
Carter, S. L. *see* **McNeil, M. M.**
Caul, E. O. *see* **Brugha, R.**
Chantrey, J., Meyer, H., Baxby, D., Begon, M., Bown, K. J., Hazel, S. M., Jones, T., Montgomery, W. I. and Bennett, M. Cowpox: reservoir hosts and geographic range, 455
Chapman, D. J., Ashburn, D., Ogston, S. A. and Ho-Yen, D. O. The relationship between ocular toxoplasmosis and levels of specific toxoplasma antibodies, 299
Chareonsook, O., Foy, H. M., Teeraratkul, A. and Silarug, N. Changing epidemiology of dengue hemorrhagic fever in Thailand, 161
Chavez, D. *see* **Quick, R. E.**

Cheng, H.-S. and Wang, L.-C. Amoebiasis among institutionalized psychiatric patients in Taiwan, 317
Cheong, Y. M. *see* **Rohani, M. Y.**
Chisholm, S. A., Crichton, P. B., Knight, H. I. and Old, D. C. Molecular typing of *Salmonella* serotype Thompson strains isolated from human and animal sources, 33
Chuang, Y.-C. *see* **Guo, Y. L.**
Chu, Y.-K. *see* **Heyman, P.**
Clarke, R. C. *see* **Dunlop, R. H.**
Clarke, R. C. *see* **Michel, P.**
Collins, M. *see* **Balogun, M. A.**
Colson, P. *see* **Heyman, P.**
Connolly, M. and Noah, N., on behalf of the European meningitis surveillance group. Is group C meningococcal disease increasing in Europe? A report of surveillance of meningococcal infection in Europe 1993–6, 41
Conway, D. A. *see* **Hutber, A. M.**
Corry, J. E. L. *see* **On, S. L. W.**
Crabbe, G. *see* **Piérard, D.**
Cramp, A. *see* **Banatvala, N.**
Crichton, P. B. *see* **Chisholm, S. A.**
Crowcroft, N. *see* **Piérard, D.**
Curcio, M. *see* **Telles, M. A. S.**
Currie, B. J. *see* **Carapetis, J. R.**
Cutts, F. T. *see* **Conçalves, G.**

Dackour, C. R. *see* **Cane, P. A.**
Dalsgaard, A., Forslund, A., Bodhidatta, L., Serichantalergs, O., Pitarangsi, C., Pang, L., Shimada, T. and Echeverria, P. A high proportion of *Vibrio cholerae* strains isolated from children with diarrhoea in Bangkok, Thailand are multiple antibiotic resistant and belong to heterogenous non-O1, non-O139 O-serotypes, 217
Daly, M. J. *see* **Goodfellow, A. M.**
Danis-Lozano, R., Rodriguez, M. H., Gonzalez-Ceron, L. and Hernandez-Avila, M. Risk factors for *Plasmodium vivax* infection in the Lacandon forest, southern Mexico, 461
de Bock, S. *see* **Piérard, D.**
de Louvois, J. *see* **Little, C. L.**
de Mia, G. M. *see* **Lowings, P.**
Dietrich, S. *see* **Hedberg, C. W.**
Dieudonné, P. *see* **Brenner, H.**
Douglass, N. J. *see* **Dumbell, K. R.**
Downs, A. M. R., Harvey, I. and Kennedy, C. T. C. The epidemiology of head lice and scabies in the UK, 471
Doyle, M. P. *see* **Tuttle, J.**
Drobniewski, F. A. *see* **Telles, M. A. S.**
Dubey, J. P. *see* **Aramini, J. J.**
Dumbell, K. R., Harper, L., Buchan, A., Douglass, N. J. and Bedson, H. S. A variant of variola virus, characterized by changes in polypeptide and endonuclease profiles, 287
Duong, T., Ades, A. E., Rogers, P. and Nicoll, A. Non-participation bias in unlinked anonymous HIV-prevalence surveys in England and Wales, 267
Dunlop, R. H., McEwen, S. A., Meek, A. H., Friendship, R. M., Black, W. D. and Clarke, R. C. Sampling considerations for herd-level measurement of faecal *Escherichia coli* antimicrobial resistance in finisher pigs, 485

Echeverria, P. *see* **Dalsgaard, A.**
Egerton, J. R. *see* **Ghimire, S. C.**
Emmanuel, F. X. S. *see* **Kalima, P.**
Engelstoft, C. *see* **Aramini, J. J.**
Evans, A. E. *see* **O'Neill, C.**
Evans, M. R., Salmon, R. L., Nehaul, L., Mably, S., Wafford, L., Nolan-Farrell, M. Z., Gardner, D. and Ribeiro, C. D. An outbreak of *Salmonella typhimurium* DT170 associated with kebab meat and yoghurt relish, 377
Evans, M. R. *see* **Brugha, R.**

Fairley, C. K. *see* **Balogun, M. A.**
Fairley, C. K. *see* **Caputo, C.**
Farrington, C. P. *see* **Gay, N. J.**
Feldman, R. A. *see* **Banatvala, N.**
Forbes, A. *see* **Caputo, C.**
Forslund, A. *see* **Dalsgaard, A.**
Foy, H. M. *see* **Chareonsook, O.**
Friedman, M. G., Galil, A., Greenberg, S. and Kahane, S. Seroprevalence of IgG antibodies to the chlamydia-like microorganism 'Simkania Z' by ELISA, 117
Friendship, R. M. *see* **Dunlop, R. H.**
Frieze, N. *see* **Su, C.**
Frost, F. *see* **Caputo, C.**

Galil, A. *see* **Friedman, M. G.**
Gardner, D. *see* **Evans, M. R.**
Gay, N. J., Hesketh, L. M., Osborne, K. P., Farrington, C. P., Morgan-Capner, P. and Miller, E. The prevalence of hepatitis B infection in adults in England and Wales, 133
Gdalevich, M. *see* **Block, C.**
Ghimire, S. C. and Egerton, J. R. PCR-RFLP of outer membrane proteins gene of *Dichelobacter nodosus*: a new tool in the epidemiology of footrot, 521
Giesecke, J. *see* **McCarthy, N.**
Gironaz, M. *see* **Quick, R. E.**
Gomez, T. *see* **Tuttle, J.**
Gonçalves, G., Cutts, F. T., Hills, M., Rebelo-Andrade, H., Trigo, F. A. and Barros, H. Transplacental transfer of measles and total IgG, 273
Gonzalez-Ceron, L. *see* **Danis-Lozano, R.**
Goodfellow, A. M., Hoy, W. E., Sriprakash, K. S., Daly, M. J., Reeve, M. P. and Mathews, J. D. Proteinuria is associated with persistence of antibody to streptococcal M protein in Aboriginal Australians, 67
Greenberg, S. *see* **Friedman, M. G.**
Greene, K. *see* **Quick, R. E.**
Griffin, P. M. *see* **Hedberg, C. W.**
Griffin, P. M. *see* **Tuttle, J.**
Gudiel Lemus, M. *see* **Mahon, B. E.**
Guo, Y. L., Shiao, J., Chuang, Y.-C. and Huang, K.-Y. Needlestick and sharps injuries among health-care workers in Taiwan, 259
Gurtsenvitch, V. *see* **Ohba, K.**
Gustavsson, O. *see* **McCarthy, N.**
Gyles, C. L. *see* **Michel, P.**

Hadad, D. J. *see* **Telles, M. A. S.**
Haga, S. *see* **Hirano, N.**
Hancock, D. D. *see* **Rice, D. H.**
Harper, L. *see* **Dumbell, K. R.**

Harrington, C. S., Thomson-Carter, F. M. and Carter, P. E. Molecular epidemiological investigation of an outbreak of *Campylobacter jejuni* identifies a dominant clonal line within Scottish serotype HS55 populations, 367
Harris, S. *see* **Hutchings, M. R.**
Harvey, I. *see* **Downs, A. M. R.**
Hashido, M., Mukouyama, A., Sakae, K., Tsuzuki, H., Yamashita, T., Inada, T. and Inouye, S. Molecular and serological characterization of adenovirus genome type 7h isolated in Japan, 281
Hayami, M. *see* **Ohba, K.**
Hattingh, C. M. *see* **Allsopp, M. T. E. P.**
Hazel, S. M. *see* **Chantrey, J.**
Hedberg, C. W., Angulo, F. J., White, K. E., Langkop, C. W., Schell, W. L., Stobierski, M. G., Schuchat, A., Besser, J. M., Dietrich, S., Helsel, L., Griffin, P. M., McFarland, J. W., Osterholm, M. T. and The Investigation Team, Outbreaks of salmonellosis associated with eating uncooked tomatoes: implications for public health, 385
Heinikainen, S. *see* **Lindqvist, N.**
Helsel, L. *see* **Hedberg, C. W.**
Heptonstall, J. *see* **Balogun, M. A.**
Herbelin, C. *see* **Su, C.**
Hernandez-Avila, M. *see* **Danis-Lozano, R.**
Hesketh, L. M. *see* **Gay, N. J.**
Heyman, P., Vervoort, T., Colson, P., Chu, Y.-K., Avsic-Zupanc, T. and Lundkvist, Å. A major outbreak of hantavirus infection in Belgium in 1995 and 1996, 447
Heyrman, J. *see* **Niclaes, L.**
Hibble, M. *see* **Carapetis, J. R.**
Hills, M. *see* **Gonçalves, G.**
Hirano, N., Suzuki, Y. and Haga, S. Pigs with highly prevalent antibodies to human coronavirus and swine haemagglutinating encephalomyelitis virus in the Tohoku District of Japan, 545
Holloway, J. T. *see* **McNeil, M. M.**
Ho-Yen, D. O. *see* **Chapman, D. J.**
Hoy, J. F. *see* **Caputo, C.**
Hoy, W. E. *see* **Goodfellow, A. M.**
Huang, K.-Y. *see* **Guo, Y. L.**
Humphrey, T. J. *see* **Bolton, F. J.**
Hutber, A. M., Kitching, R. P. and Conway, D. A. Predicting the level of herd infection for outbreaks of foot-and-mouth disease in vaccinated herds, 539
Hutchings, M. R. and Harris, S. Quantifying the risks of TB infection to cattle posed by badger excreta, 167
Hutwagner, L. *see* **Quick, R. E.**

Ibata, G. *see* **Lowings, P.**
Ikushima, M., Yamada, F., Kawahashi, S., Okuyama, Y. and Matsui, K. Antibody response to OspC-I synthetic peptide derived from outer surface protein C of *Borrelia burgdorferi* in sera from Japanese forestry workers, 429
Inada, T. *see* **Hashido, M.**
Inouye, S. *see* **Hashido, M.**

Jones, I. R. *see* **Banatvala, N.**
Jones, T. *see* **Chantrey, J.**
Jormanainen, V. *see* **McCarthy, N.**

Kahane, S. *see* **Friedman, M. G.**
Kalima, P., Emmanuel, F. X. S. and Riordan, T. Epidemiology of *Streptococcus pneumoniae* infections at the Edinburgh City Hospital: 1980–95, 251
Kao, R. R. and Roberts, M. G. A comparison of wildlife control and cattle vaccination as methods for the control of bovine tuberculosis, 505
Kato, T. *see* **Ohba, K.**
Katsuda, K. *see* **Akiba, M.**
Kawahashi, S. *see* **Ikushima, M.**
Keller, N. *see* **Block, C.**
Kennedy, C. T. C. *see* **Downs, A. M. R.**
Keskimäki, M. *see* **Paunio, M.**
Kingamkono, R., Sjögren, E. and Svanberg, U. Enteropathogenic bacteria in faecal swabs of young children fed on lactic acid-fermented cereal gruels, 23
Kitching, R. P. *see* **Hutber, A. M.**
Knight, H. I. *see* **Chisholm, S. A.**
Knowles, N. J. *see* **Samuel, A. R.**
Kobayashi, N., Urasawa, S., Uehara, N. and Watanabe, N. Analysis of genomic diversity within the *Xr*-region of the protein A gene in clinical isolates of *Staphylococcus aureus*, 241
Kokki, M. *see* **Paunio, M.**
Kunde, T. R. *see* **Caputo, C.**

Lahti, E. *see* **Paunio, M.**
Langkop, C. W. *see* **Hedberg, C. W.**
Lauwers, S. *see* **Piérard, D.**
Leinikki, P. *see* **Paunio, M.**
Lesaffre, E. *see* **Niclaes, L.**
Lightfoot, D. *see* **Stern, L.**
Lindqvist, N., Heinikainen, S., Toivonen, A.-M. and Pelkonen, S. Discrimination between endemic and feedborne *Salmonella* Infantis infection in cattle by molecular typing, 497
Little, C. L. and de Louvois, J. Health risks associated with unpasteurized goats' and ewes' milk on retail in England and Wales. A PHLS Dairy Products Working Group Study, 403
Lowings, P., Ibata, G., de Mia, G. M., Rutili, D. and Paton, D. Classical swine fever in Sardinia: epidemiology of recent outbreaks, 553
Lundkvist, Å. *see* **Heyman, P.**

Mably, S. *see* **Evans, M. R.**
McCarthy, N., Andersson, Y., Jormanainen, V., Gustavsson, O. and Giesecke, J. The risk of Guillain–Barré syndrome following infection with *Campylobacter jejuni*, 15
McEwen, S. A. *see* **Dunlop, R. H.**
McEwen, S. A. *see* **Michel, P.**
McFarland, J. W. *see* **Hedberg, C. W.**
Mackay, D. K. J. *see* **Samuel, A. R.**
McMenamin, K. M. *see* **Rice, D. H.**
McNeil, M. M., Sweat, L. B., Carter, S. L., Watson, C. B., Holloway, J. T., Manning, R., Altekruse, S. F. and Blake, P. A. A Mexican restaurant-associated outbreak of *Salmonella* Enteritidis type 34 infections traced to a contaminated egg farm, 209

Mahon, B. E., Sobel, J., Townes, J. M., Mendoza, C., Gudiel Lemus, M., Cano, F. and Tauxe, R. V. Surveying vendors of street-vended food: a new methodology applied in two Guatemalan cities, 409
Maloney, K. *see* **Quick, R. E.**
Manning, R. *see* **McNeil, M. M.**
Martinez, G., Ahmed, K., Zheng, C. H., Watanbe, K., Oishi, K. and Nagatake, T. DNA restriction patterns produced by pulsed-field gel electrophoresis in *Moraxella catarrhalis* isolated from different geographical areas, 417
Martin, K. *see* **Bolton, F. J.**
Martin, S. W. *see* **Michel, P.**
Masuda, T. *see* **Akiba, M.**
Mathews, J. D. *see* **Goodfellow, A. M.**
Matsui, K. *see* **Ikushima, M.**
Meek, A. H. *see* **Dunlop, R. H.**
Mendoza, C. *see* **Mahon, B. E.**
Meyer, H. *see* **Chantrey, J.**
Michel, P., Wilson, J. B., Martin, S. W., Clarke, R. C., McEwen, S. A. and Gyles, C. L. Temporal and geographical distributions of reported cases of *Escherichia coli* O157:H7 infection in Ontario, 193
Miller, E. *see* **Gay, N. J.**
Mintz, E. D. *see* **Quick, R. E.**
Mizokami, M. *see* **Ohba, K.**
Monk, P. *see* **Neal, K. R.**
Montgomery, W. I. *see* **Chantrey, J.**
Morgan-Capner, P. *see* **Gay, N. J.**
Mukerjee, A. K. *see* **Brugha, R.**
Mukouyama, A. *see* **Hashido, M.**
Murhekar, M. V. *see* **Sehgal, S. C.**
Murray, L. J. *see* **O'Neill, C.**
Murtaza, M. *see* **Rohani, M. Y.**

Nagatake, T. *see* **Martinez, G.**
Nakazawa, M. *see* **Akiba, M.**
Neal, K. R., Nguyen-van-Tam, J., Monk, P., O'Brien, S. J., Stuart, J. and Ramsay, M. Invasive meningococcal disease among university undergraduates: association with universities providing relatively large amounts of catered hall accommodation, 351
Nehaul, L. *see* **Evans, M. R.**
Ng, A. J. *see* **Rohani, M. Y.**
Ng, P. P. *see* **Rohani, M. Y.**
Nguyen-van-Tam, J. *see* **Neal, K. R.**
Niclaes, L., Buntinx, F., Banuro, F., Lesaffre, E. and Heyrman, J. Consequences of MRSA carriage in nursing home residents, 235
Nicoll, A. *see* **Duong, T.**
Noah, N. *see* **Connolly, M.**
Nolan-Farrell, M. Z. *see* **Evans, M. R.**

O'Brien, S. J. *see* **Neal, K. R.**
Ogston, S. A. *see* **Chapman, D. J.**
Ohba, K., Mizokami, M., Kato, T., Ueda, R., Gurtsenvitch, V., Senyuta, N., Syrtsev, A., Zoya, K., Yamashita, M. and Hayami, M. Seroprevalence of hepatitis B virus, hepatitis C virus and GB virus-C infections in Siberia, 139
Oinonen, S. *see* **Paunio, M.**
Oishi, K. *see* **Martinez, G.**
Okuyama, Y. *see* **Ikushima, M.**
Old, D. C. *see* **Chisholm, S. A.**
Olsen, J. E. *see* **Brown, D. J.**
O'Neill, C., Murray, L. J., Ong, G. M. L., O'Reilly, D. P. J., Evans, A. E. and Bamford, K. B. Epidemiology of *Chlamydia pneumoniae* infection in a randomly selected population in a developed country, 111
Ong, G. M. L. *see* **O'Neill, C.**
On, S. L. W., Atabay, H. Ibrahim and Corry, J. E. L. Clonality of *Campylobacter sputorum* bv. *paraureolyticus* determined by macrorestriction profiling and biotyping, and evidence for long-term persistent infection in cattle, 175
O'Reilly, D. P. J. *see* **O'Neill, C.**
Osborne, K. P. *see* **Gay, N. J.**
Osterholm, M. T. *see* **Hedberg, C. W.**

Palaci, M. *see* **Telles, M. A. S.**
Pang, L. *see* **Dalsgaard, A.**
Parasakthy, N. *see* **Rohani, M. Y.**
Paton, D. *see* **Lowings, P.**
Paunio, M., Pebody, R., Keskimäki, M., Kokki, M., Ruutu, P., Oinonen, S., Vuotari, V., Siitonen, A., Lahti, E. and Leinikki, P. Swimming-associated outbreak of *Escherichia coli* O157:H7, 1
Pebody, R. *see* **Paunio, M.**
Pelkonen, S. *see* **Lindqvist, N.**
Piérard, D., Crowcroft, N., de Bock, S., Potters, D., Crabbe, G., van Loock, F. and Lauwers, S. A case-control study of sporadic infection with O157 and non-O157 verocytotoxin-producing *Escherichia coli*, 359
Pitarangsi, C. *see* **Dalsgaard, A.**
Platt, D. J. *see* **Brown, D. J.**
Potters, D. *see* **Piérard, D.**
Pozniak, A. L. *see* **Telles, M. A. S.**
Pringle, C. R. *see* **Cane, P. A.**
Pritchett, L. C. *see* **Rice, D. H.**

Quick, R. E., Venczel, L. V., Mintz, E. D., Soleto, L., Aparicio, J., Gironaz, M., Hutwagner, L., Greene, K., Bopp, C., Maloney, K., Sobsey, M., Chavez, D. and Tauxe, R. V. Diarrhoea prevention in Bolivia through point-of-use water treatment and safe storage: a promising new strategy, 83

Ramsay, M. E. *see* **Balogun, M. A.**
Ramsay, M. *see* **Neal, K. R.**
Raudzah, A. *see* **Rohani, M. Y.**
Rebelo-Andrade, H. *see* **Gonçalves, G.**
Reeve, M. P. *see* **Goodfellow, A. M.**
Reintjes, R., Termorshuizen, F. and van de Laar, M. J. W. Assessing the sensitivity of STD surveillance in the Netherlands: an application of the capture–recapture method, 97
Ribble, C. S. *see* **Aramini, J. J.**
Ribeiro, C. D. *see* **Evans, M. R.**
Rice, D. H., McMenamin, K. M., Pritchett, L. C., Hancock, D. D. and Besser, T. E. Genetic subtyping of *Escherichia coli* O157 isolates from 41 Pacific Northwest USA cattle farms, 479
Richardson, J. F., Rosdahl, V. T., van Leeuwen, W. J., Vickery, A. M., Vindel, A. and Witte, W. Phages for methicillin-resistant *Staphylococcus aureuus*: an international trial, 227

Riordan, T. *see* **Kalima, P.**
Roberts, M. G. *see* **Kao, R. R.**
Roberts, R. J. *see* **Brugha, R.**
Rodriguez, M. H. *see* **Danis-Lozano, R.**
Rogers, P. *see* **Duong, T.**
Rohani, M. Y., Raudzah, A., Ng, A. J., Ng, P. P., Zaidatul, A. A. R., Asmah, I., Murtaza, M., Parasakthy, N., Yasmin, M. Y. Mohd and Cheong, Y. M. Epidemiology of *Streptococcus pneumoniae* infection in Malaysia, 77
Rosdahl, V. T. *see* **Richardson, J. F.**
Rothenbacher, D. *see* **Brenner, H.**
Rutili, D. *see* **Lowings, P.**
Ruutu, P. *see* **Paunio, M.**

Sakae, K. *see* **Hashido, M.**
Salmon, R. L. *see* **Brugha, R.**
Salmon, R. L. *see* **Evans, M. R.**
Sameshima, T. *see* **Akiba, M.**
Samuel, A. R., Knowles, N. J. and Mackay, D. K. J. Genetic analysis of type O viruses responsible for epidemics of foot-and-mouth disease in North Africa, 529
Sandifer, Q. D. *see* **Brugha, R.**
Sanneh, M. *see* **Cane, P. A.**
Sayers, A. R. *see* **Allen-Vercoe, E.**
Schell, W. L. *see* **Hedberg, C. W.**
Schuchat, A. *see* **Hedberg, C. W.**
Schwantje, H. *see* **Aramini, J. J.**
Sehgal, S. C., Vijayachari, P., Murhekar, M. V., Sugunan, A. P., Sharma, S. and Singh, S. S. Leptospiral infection among primitive tribes of Andaman and Nicobar Islands, 423
Senyuta, N. *see* **Ohba, K.**
Serichantalergs, O. *see* **Dalsgaard, A.**
Sharma, S. *see* **Sehgal, S. C.**
Shimada, T. *see* **Dalsgaard, A.**
Siitonen, A. *see* **Paunio, M.**
Silarug, N. *see* **Chareonsook, O.**
Sinclair, M. I. *see* **Caputo, C.**
Singh, S. S. *see* **Sehgal, S. C.**
Sjögren, E. *see* **Kingamkono, R.**
Skardova, O. *see* **Su, C.**
Sobel, J. *see* **Mahon, B. E.**
Soleto, L. *see* **Quick, R. E.**
Sobsey, M. *see* **Quick, R. E.**
Sordillo, L. M. *see* **Su, C.**
Sriprakash, K. S. *see* **Carapetis, J. R.**
Sriprakash, K. S. *see* **Goodfellow, A. M.**
Stephen, C. *see* **Aramini, J. J.**
Stern, L. and Lightfoot, D. Automated outbreak detection: a quantitative retrospective analysis, 103
Stobierski, M. G. *see* **Hedberg, C. W.**
Stuart, J. *see* **Neal, K. R.**
Su, C., Herbelin, C., Frieze, N., Skardova, O. and Sordillo, L. M. Coagulase gene polymorphism of *Staphylococcus aureus* isolates from dairy cattle in different geographical areas, 329
Sugunan, A. P. *see* **Sehgal, S. C.**
Surman, S. B. *see* **Bolton, F. J.**
Suzuki, Y. *see* **Hirano, N.**
Svanberg, U. *see* **Kingamkono, R.**
Sweat, L. B. *see* **McNeil, M. M.**
Syrtsev, A. *see* **Ohba, K.**

Tauxe, R. V. *see* **Mahon, B. E.**
Tauxe, R. V. *see* **Tuttle, J.**
Tauxe, R. V. *see* **Quick, R. E.**
Taylor, W. R. J. Measles in Vietnamese refugee children in Hong Kong, 441
Teeraratkul, A. *see* **Chareonsook, O.**
Telles, M. A. S., Yates, M. D., Curcio, M., Ueki, S. Y. M., Palaci, M., Hadad, D. J., Drobniewski, F. A. and Pozniak, A. L. Molecular epidemiology of *Mycobacterium avium* complex isolated from patients with and without AIDS in Brazil and England, 435
Termorshuizen, F. *see* **Reintjes, R.**
The Investigation Team *see* **Hedberg, C. W.**
Thomson-Carter, F. M. *see* **Harrington, C. S.**
Toivonen, A.-M. *see* **Lindqvist, N.**
Townes, J. M. *see* **Mahon, B. E.**
Trigo, F. A. *see* **Gonçalves, G.**
Tsuzuki, H. *see* **Hashido, M.**
Tuttle, J., Gomez, T., Doyle, M. P., Wells, J. G., Zhao, T., Tauxe, R. V. and Griffin, P. M. Lessons from a large outbreak of *Escherichia coli* O157:H7 infections: insights into the infectious dose and method of widespread contamination of hamburger patties, 185

Ueda, R. *see* **Ohba, K.**
Uehara, N. *see* **Kobayashi, N.**
Ueki, S. Y. M. *see* **Telles, M. A. S.**
Urasawa, S. *see* **Kobayashi, N.**

van da Laar, M. J. W. *see* **Reintjes, R.**
van Leeuwen, W. J. *see* **Richardson, J. F.**
van Loock, F. *see* **Piérard, D.**
Venczel, L. V. *see* **Quick, R. E.**
Vervoort, T. *see* **Heyman, P.**
Vickery, A. M. *see* **Richardson, J. F.**
Vijayachari, P. *see* **Sehgal, S. C.**
Vindel, A. *see* **Richardson, J. F.**
Vipond, I. B. *see* **Brugha, R.**
Vogel, S. W. *see* **Allsopp, M. T. E. P.**
Vuotari, V. *see* **Paunio, M.**

Wafford, L. *see* **Evans, M. R.**
Walker, A. M. *see* **Carapetis, J. R.**
Wang, L.-C. *see* **Cheng, H.-S.**
Wareing, D. R. A. *see* **Bolton, F. J.**
Watanabe, K. *see* **Martinez, G.**
Watanabe, N. *see* **Kobayashi, N.**
Watson, C. B. *see* **McNeil, M. M.**
Weber, M. *see* **Cane, P. A.**
Wells, J. G. *see* **Tuttle, J.**
White, K. E. *see* **Hedberg, C. W.**
Whittle, H. *see* **Cane, P. A.**
Wilson, J. B. *see* **Michel, P.**
Witte, W. *see* **Richardson, J. F.**
Woodward, M. J. *see* **Allen-Vercoe, E.**

Yamada, F. *see* **Ikushima, M.**

Yamashita, M. *see* **Ohba, K.**
Yamashita, T. *see* **Hashido, M.**
Yasmin, M. Y. Mohd *see* **Rohani, M. Y.**
Yates, M. D. *see* **Telles, M. A. S.**
Zaidatul, A. A. R. *see* **Rohani, M. Y.**
Zhao, T. *see* **Tuttle, J.**
Zheng, C. H. *see* **Martinez, G.**
Zoya, K. *see* **Ohba, K.**

Epidemiol. Infect. (1999), **122**, 569–570 Printed in the United Kingdom © 1999 Cambridge University Press

Index of Subjects

Adenovirus, molecular and serological characterization of, genome type 7h isolated in Japan, 281
Amoebiasis, among institutionalized psychiatric patients in Taiwan, 317

Borrelia burgdorferi, antibody response to OspC-I synthetic peptide derived from outer surface protein C of, in sera from Japanese forestry workers, 429

Campylobacter jejuni, molecular epidemiological investigation of an outbreak of, identifies a dominant clonal line within Scottish serotype HS55 populations, 367
Campylobacter jejuni, the risk of Guillain–Barré syndrome following infection with, 15
Campylobacter, presence of, and salmonella in sand from bathing beaches, 7
Campylobacter sputorum* bv. *paraureolyticus, clonality of, determined by macrorestriction profiling and biotyping, and evidence for long-term persistent infection in cattle, 175
Chlamydia-like microorganism, seroprevalence of IgG antibodies to the, 'Simkania Z' by ELISA, 117
Chlamydia pneumoniae, epidemiology of, infection in a randomly selected population in a developed country, 111
Coronavirus, pigs with highly prevalent antibodies to human, and swine haemagglutinating encephalomyelitis virus in the Tohoku District of Japan, 545
Cowdria, evaluation of 16S, *map1* and pCS20 probes for detection of, and *Ehrlichia* species, 323
Cowpox, reservoir hosts and geographic range, 455
Cryptosporidium, determinants of antibodies to, infection among gay and bisexual men with HIV infection, 291

Diarrhoea prevention, in Bolivia through point-of-use water treatment and safe storage: a promising new strategy, 83
Dichelobacter nodosus, PCR–RFLP of outer membrane proteins gene of: a new tool in the epidemiology of footrot, 521

Dengue hemorrhagic fever, changing epidemiology of, in Thailand, 161

Ehrlichia, evaluation of 16S, *map1* and pCS20 probes for detection of *Cowdria* and, species, 323
Enteropathogenic bacteria, in faecal swabs of young children fed on lactic acid-fermented cereal gruels, 23
Escherichia coli, a case-control study of sporadic infection with O157 and non-O157 verocytotoxin-producing, 359
Escherichia coli, genetic subtyping of, O157 isolates from 41 Pacific Northwest USA cattle farms, 479
***Escherichia coli* O157:H7 (H—),** molecular typing of, isolates from cattle in Japan, 337
***Escherichia coli* O157:H7,** lessons from a large outbreak of, infections: insights into the infectious dose and method of widespread contamination of hamburger patties, 185
***Escherichia coli* O157:H7,** temporal and geographical distributions of reported cases of, infection in Ontario, 193
***Escherichia coli* O157:H7,** the shift of genetic subtypes of, isolates from cattle, 343
Escherichia coli, sampling considerations for herd-level measurement of faecal, antimicrobial resistance in finisher pigs, 485
Escherichia coli, swimming-associated outbreak of, O157:H7, 1

Foot-and-mouth disease, genetic analysis of type O viruses responsible for epidemics of, in North Africa, 529
Foot-and-mouth disease, predicting the level of herd infection for outbreaks of, in vaccinated herds, 539

GB virus-C, seroprevalence of hepatitis B virus, hepatitis C virus and, infections in Siberia, 139
Guillain–Barré syndrome, the risk of, following infection with *Campylobacter jejuni*, 15

Hantavirus, a major outbreak of, infection in Belgium in 1995 and 1996, 447
Helicobacter pylori, active infection with, in healthy couples, 91
Hepatitis B, acute, infection in England and Wales: 1985–96, 125
Hepatitis B, the prevalence of, infection in adults in England and Wales, 133
Hepatitis B virus, seroprevalence of, hepatitis C virus and GB virus-C infections in Siberia, 139
Hepatitis C virus, seroprevalence of hepatitis B virus, and GB virus-C infections in Siberia, 139
HIV, non-participation bias in unlinked anonymous, -prevalence surveys in England and Wales, 267

Leptospiral infection, among primitive tribes of Andaman and Nicobar Islands, 423
Lice, the epidemiology of head, and scabies in the UK, 471

Measles, in Vietnamese refugee children in Hong Kong, 441
Measles, transplacental transfer of, and total IgG, 273
Meningococcal, invasive, disease among university undergraduates: association with universities providing relatively large amounts of catered hall accommodation, 351
Milk, health risks associated with unpasteurized goats' and ewes', on retail sale in England and Wales. A PHLS Dairy Products Working Group Study, 403
Moraxella catarrhalis, DNA restriction patterns produced by pulsed-field gel electrophoresis in, isolated from different geographical areas, 417

MRSA, consequences of, carriage in nursing home residents, 235
***Mycobacterium avium*,** molecular epidemiology of, complex isolated from patients with and without AIDS in Brazil and England, 435

Outbreak, automated, detection: a quantitative retrospective analysis, 103

***Plasmodium vivax*,** risk factors for, infection in the Lacandon forest, southern Mexico, 461

Respiratory syncytial virus, molecular epidemiology of, in The Gambia, 155

***Salmonella enterica*,** serotype Enteritidis, phage type conversion in, caused by the introduction of a resistance plasmid of incompatibility group X (IncX), 19
***Salmonella enterica*,** virulence of, serotype Enteritidis aflagellate and afimbriate mutants in a day-old chick model, 395
***Salmonella* Enteritidis,** a Mexican restaurant-associated outbreak of, type 34 infections traced to a contaminated egg farm, 209
***Salmonella* Infantis,** discrimination between endemic and feedborne, infection in cattle by molecular typing, 497
Salmonella, presence of campylobacter and, in sand from bathing beaches, 7
***Salmonella* serotype Thompson,** molecular typing of, strains isolated from human and animal sources, 33
***Salmonella typhimurium*,** an outbreak of, DT170 associated with kebab meat and yoghurt relish, 377
Salmonellosis, in North Thames (East), UK: associated risk factors, 201
Salmonellosis, outbreaks of, associated with eating uncooked tomatoes: implications for public health, 385
Scabies, the epidemiology of head lice and, in the UK, 471
Sharps injuries, needlestick and, among health-care workers in Taiwan, 259
Small round-structured virus, a community outbreak of food-borne, gastroenteritis caused by a contaminated water supply, 145
***Staphylococcus aureus*,** analysis of genomic diversity within the Xr-region of the protein A gene in clinical isolates of, 241
***Staphylococcus aureus*,** coagulase gene polymorphism of, isolates from dairy cattle in different geographical areas, 329
***Staphylococcus aureus*,** phages for methicillin-resistant: an international trial, 227
STD surveillance, assessing the sensitivity of, in the Netherlands: an application of the capture–recapture method, 97
Street-vended food, surveying vendors of: a new methodology applied in two Guatemalan cities, 409
Streptococcal, clinical and epidemiological features of group A, bacteraemia in a region with hyperendemic superficial streptococcal infection, 59
Streptococcal, proteinuria is associated with persistence of antibody to, M protein in Aboriginal Australians, 67
***Streptococcus pneumoniae*,** epidemiology of, infections at the Edinburgh City Hospital: 1980–95, 251
***Streptococcus pneumoniae*,** epidemiology of, infection in Malaysia, 77
Swine fever, classical, in Sardinia: epidemiology of recent outbreaks, 553
Swine haemagglutinating encephalomyelitis virus, pigs with highly prevalent antibodies to human coronavirus and, in the Tohoku District of Japan, 545

TB infection, quantifying the risks of, to cattle posed by badger excreta, 167
***Toxoplasma gondii*,** potential contamination of drinking water with, oocysts, 305
Toxoplasmosis, the relationship between ocular, and levels of specific toxoplasma antibodies, 299
Tuberculosis, a comparison of wildlife control and cattle vaccination as methods for the control of bovine, 505

Variola, a variant of, virus, characterized by changes in polypeptide and endonuclease profiles, 287
***Vibrio cholerae*,** a high proportion of, strains isolated from children with diarrhoea in Bangkok, Thailand are multiple antibiotic resistant and belong to heterogenous non-O1, non-O139 O-serotypes, 217